WEST Search History

[Hide Items] [Restore] [Clear] [Cancel]

DATE: Friday, May 27, 2005

Hide?	Set Name	Query	Hit Count
		DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ	
☐	L41	L38 and dispenser	1
☐	L40	L38 and printhead	0
☐	L39	L38 and (ink-jet or inkjet)	0
☐	L38	L37 and correlation factor	2
☐	L37	L36 same pharmaceutical	2055
☐	L36	assay with cell	40499
		DB=PGPB; THES=ASSIGNEE; PLUR=YES; OP=ADJ	
☐	L35	L32 and consumable	1
☐	L34	L32 and (consumable cartridge)	0
☐	L33	L32 and consumable cartridge	0
☐	L32	20020187478.pn.	1
		DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ	
☐	L31	L29 and printhead	4
☐	L30	L29 same printhead	0
☐	L29	consumable cartridge	47
☐	L28	L27 and printhead	10
☐	L27	pharmaceutical same cell	20841
		DB=USPT,PGPB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ	
☐	L26	L25 not @PY>2000	60
☐	L25	L1 and cartridge	452
☐	L24	cell$	1320263
☐	L23	L22 and L14	0
☐	L22	cell testing	1680
☐	L21	L9 and L14	0
☐	L20	L1 and L14	1
☐	L19	L18 not @PY>2000	21
☐	L18	L17 and autom$	125
☐	L17	L14 and cell	177
☐	L16	cell jet dispens$	0
☐	L15	L14 same cell	19
☐	L14	jet dispens$	456

☐	L13	L12 not @PY>2000	149
☐	L12	L11 and agent	360
☐	L11	L10 and volume	433
☐	L10	L9 and autom$	543
☐	L9	cell dispens$	1044
☐	L8	L7 and cell	40
☐	L7	L6 and automat$	80
☐	L6	allergy testing	260
☐	L5	L4 not @PY>2000	37
☐	L4	L3 and dispens$	568
☐	L3	L2 and automat$	1938
☐	L2	L1 and method	4232
☐	L1	cellular activity	4377

END OF SEARCH HISTORY